

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	"20020059489".pn.	US-PGPUB; USPAT	OR	OFF	2009/11/19 19:09
L3	23	(snmp near quer\$3) with (printer\$1)	US-PGPUB; USPAT	OR	OFF	2009/11/19 19:10
L4	10	(ping\$3 near printer\$1)	US-PGPUB; USPAT	OR	OFF	2009/11/19 19:10
L5	0	L3 and L4	US-PGPUB; USPAT	OR	OFF	2009/11/19 19:10
L6	10	L4 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT	OR	OFF	2009/11/19 19:11
L7	13	L3 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT	OR	OFF	2009/11/19 19:11
L8	346	(regex or (regular near expression\$1)) with address \$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L9	9	L8 same (discover\$3 or find \$3 or locat\$3 or obtain\$3) near address\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L10	0	L9 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L11	17	L8 same (discover\$3 or find \$3 or locat\$3 or obtain\$3) near2 address\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L12	4	L11 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L13	33	L8 same file\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39

L14	14	L13 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L15	2	L8 same (recogniz\$6 near2 (address\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L16	2	L15 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L17	268	address\$3 with (recogniz\$6 near2 (format\$4 or syntax))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L18	9	L17 same (printer\$1 or peripheral\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L19	7	L18 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L20	10334	address\$3 near (format\$4 or syntax)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L21	30	L20 near recogni\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L22	25	L21 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L23	41	L20 and (pars\$3 near file\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39

L24	34	L23 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L25	5	webpage\$1 with list\$3 with (peripheral\$1 or printer\$1)	US-PGPUB; USPAT	OR	OFF	2009/11/19 19:39
L26	0	L25 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L27	7	webpage\$1 same list\$3 with (peripheral\$1 or printer\$1)	US-PGPUB; USPAT	OR	OFF	2009/11/19 19:39
L28	2	L27 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L29	8	webpage\$1 same list\$3 with address\$3 with (peripheral\$1 or printer\$1 or device\$1)	US-PGPUB; USPAT	OR	OFF	2009/11/19 19:39
L30	1	L29 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L31	22	(director\$3 or list\$4) with address\$3 with (peripheral\$1 or printer\$1) same url	US-PGPUB; USPAT	OR	OFF	2009/11/19 19:39
L32	17	L31 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L33	67	printer near (director\$3 or listing\$1) same (webpage or URL)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L34	63	L33 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L35	5	(peripheral\$1 or printer\$1) near (directory or directories or listing\$1) same (webpage or URL)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39

L36	4	L35 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/19 19:39
L37	12	(L10 L12 L14 L16 L19 L22 L24 L26 L28 L30 L32 L34 L36) and @pd>"20090203"	US-PGPUB; USPAT	OR	OFF	2009/11/19 19:39
L38	8	L37 and @pd>"20090713"	US-PGPUB; USPAT	OR	OFF	2009/11/19 19:39
S1	1802	server with (peripherals)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 13:57
S2	4	S1 same (peripheral near2 address\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 13:58
S3	886	709/248.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:52
S4	2183	709/245.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:52
S5	57	(remote or networked) near printer and print\$2 near server with address\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:53
S6	10	S5 and @rlad<"20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:53
S7	10	("20020057449" "20020062366" "20020099814" "6020973" "6219151").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 15:05
S8	588	(find\$3 or obtain\$3 or locat \$3) near address\$2 with (peripheral or printer)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 15:10

S9	68	S8 same server\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 15:11
S10	12	S9 and @rlad<"20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 15:11
S11	58	discover\$3 with address\$3 near2 (printer\$1 or peripheral \$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 15:22
S12	12	S11 and @rlad<"20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 15:22
S13	1	"20050071507".pn.	US-PGPUB; USPAT	OR	OFF	2008/03/03 16:22
S14	1	"20050071507".pn.	US-PGPUB; USPAT	OR	OFF	2008/03/12 09:18
S15	25	file with ((list or directory) near2 printers)	US-PGPUB; USPAT	OR	OFF	2008/03/12 09:21
S16	3	S15 and @rlad<"20030930"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:21
S17	63	(remote or networked) near printer and print\$2 near server with address\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 17:12
S18	625	(find\$3 or obtain\$3 or locat \$3) near address\$2 with (peripheral or printer)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 17:12
S19	77	S18 same server\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 17:12
S20	28	file with ((list or directory) near2 printers)	US-PGPUB; USPAT	OR	OFF	2008/09/15 17:12
S21	123	(S17 S19 S20) and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT	OR	OFF	2008/09/15 17:12

S22	969	709/248.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 17:46
S23	2319	709/245.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 17:46
S24	219	(S22 S23) and @pd> "20080301"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/15 17:46
S25	68	discover\$3 with address\$3 near2 (printer\$1 or peripheral \$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:55
S26	277	(regex or (regular near expression\$1)) with address \$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:55
S27	8	S26 same (discover\$3 or find \$3 or locat\$3 or obtain\$3) near address\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:56
S28	72789	"L8" and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:57
S29	0	S27 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:57
S30	14	S26 same (discover\$3 or find \$3 or locat\$3 or obtain\$3) near2 address\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:57
S31	4	S30 and (@ad< "20030930" @rlad< "20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:57

S32	0	S26 same (printer\$1 or peripheral\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 15:59
S33	28	S26 same file\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:00
S34	14	S33 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:00
S35	0	S26 same (recogniz\$6 near2 (format\$4 or syntax))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:01
S36	2	S26 same (recogniz\$6 near2 (address\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:02
S37	2	S36 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:02
S38	245	address\$3 with (recogniz\$6 near2 (format\$4 or syntax))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:02
S39	9	S38 same (printer\$1 or peripheral\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:03
S40	7	S39 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:03
S41	9546	address\$3 near (format\$4 or syntax)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:04

S42	0	S41 near recogiz\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:05
S43	29	S41 near recogni\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:05
S44	24	S43 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:06
S45	0	S44 and pars\$3 near file\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:06
S46	0	S41 same (pars\$3 near file \$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:07
S47	35	S41 and (pars\$3 near file\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:07
S48	30	S47 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 16:07
S49	2	"20070219853".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 17:07
S50	5	webpage\$1 with list\$3 with (peripheral\$1 or printer\$1)	US-PGPUB; USPAT	OR	OFF	2009/02/03 17:58
S51	0	S50 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 17:58
S52	7	webpage\$1 same list\$3 with (peripheral\$1 or printer\$1)	US-PGPUB; USPAT	OR	OFF	2009/02/03 17:59

S53	2	S52 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 17:59
S54	7	webpage\$1 same list\$3 with address\$3 with (peripheral\$1 or printer\$1 or device\$1)	US-PGPUB; USPAT	OR	OFF	2009/02/03 18:00
S55	1	S54 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 18:00
S56	24	webpage\$1 with list\$3 near2 address\$3	US-PGPUB; USPAT	OR	OFF	2009/02/03 18:02
S57	10464	(director\$3 or list\$4) with address\$3 with (peripheral\$1 or printer\$1 or device\$1)	US-PGPUB; USPAT	OR	OFF	2009/02/03 18:07
S58	21	(director\$3 or list\$4) with address\$3 with (peripheral\$1 or printer\$1) same url	US-PGPUB; USPAT	OR	OFF	2009/02/03 18:07
S59	16	S58 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 18:07
S60	58	printer near (director\$3 or listing\$1) same (webpage or URL)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 18:15
S61	57	S60 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 18:15
S62	1	printer near (directory or directories or listing\$1) same (webpage or URL)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 18:15
S63	5	(peripheral\$1 or printer\$1) near (directory or directories or listing\$1) same (webpage or URL)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 18:16
S64	4	S63 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/03 18:16

S65	320	(regex or (regular near expression\$1)) with address \$2	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S66	9	S65 same (discover\$3 or find \$3 or locat\$3 or obtain\$3) near address\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S67	0	S66 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S68	15	S65 same (discover\$3 or find \$3 or locat\$3 or obtain\$3) near2 address\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S69	4	S68 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S70	30	S65 same file\$1	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S71	14	S70 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S72	2	S65 same (recogniz\$6 near2 (address\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S73	2	S72 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S74	258	address\$3 with (recogniz\$6 near2 (format\$4 or syntax))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37

S75	9	S74 same (printer\$1 or peripheral\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S76	7	S75 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S77	9977	address\$3 near (format\$4 or syntax)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S78	29	S77 near recogni\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S79	24	S78 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S80	38	S77 and (pars\$3 near file\$1)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S81	33	S80 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S82	5	webpage\$1 with list\$3 with (peripheral\$1 or printer\$1)	US-PGPUB; USPAT	OR	OFF	2009/07/13 10:37
S83	0	S82 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S84	7	webpage\$1 same list\$3 with (peripheral\$1 or printer\$1)	US-PGPUB; USPAT	OR	OFF	2009/07/13 10:37
S85	2	S84 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S86	7	webpage\$1 same list\$3 with address\$3 with (peripheral\$1 or printer\$1 or device\$1)	US-PGPUB; USPAT	OR	OFF	2009/07/13 10:37

S87	1	S86 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S88	22	(director\$3 or list\$4) with address\$3 with (peripheral\$1 or printer\$1) same url	US-PGPUB; USPAT	OR	OFF	2009/07/13 10:37
S89	17	S88 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S90	58	printer near (director\$3 or listing\$1) same (webpage or URL)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S91	57	S90 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S92	5	(peripheral\$1 or printer\$1) near (directory or directories or listing\$1) same (webpage or URL)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S93	4	S92 and (@ad<"20030930" @rlad<"20030930")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/13 10:37
S94	4	(S67 S69 S71 S73 S76 S79 S81 S83 S85 S87 S89 S91 S93) and @pd>"20090203"	US-PGPUB; USPAT	OR	OFF	2009/07/13 10:37
S95	1	"20050071507".pn.	US-PGPUB; USPAT	OR	OFF	2009/10/28 09:53

11/ 19/ 09 7:41:49 PM

C:\ Documents and Settings\ dblair\ My Documents\ EAST\ workspaces\ 10676272.wsp